

Interferenced Searched
mck 8/3/06

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L78 | 1483 | (711/200,206,208).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 15:33 |
| L79 | 0 | L78 AND (((effective OR virtual OR logical) ADJ address\$2) AND translation ADJ table\$1 AND page ADJ size\$1 ADJ indicat\$3).clm. | US-PGPUB; USPAT | OR | ON | 2006/08/03 15:36 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|--|------------------|---------|------------------|
| L1 | 254602 | @pd>"20060530" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:04 |
| L2 | 25788 | TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:04 |
| L3 | 4200 | (variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:04 |
| L4 | 3746 | ((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:04 |
| L5 | 414 | ((711/212) or (711/221)).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:04 |
| L6 | 219468 | PSI OR ((page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:04 |
| L7 | 4027 | (L4 OR L5) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:04 |
| L8 | 71 | L2 SAME (L3 SAME L6) AND L7 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:04 |
| L9 | 1 | L1 AND L8 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:07 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|----|------------------|
| L10 | 216562 | PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR entr\$3 OR field\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:07 |
| L11 | 1097 | L2 AND L3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:07 |
| L12 | 89 | L11 AND (L10 near10 (table\$1 near5 entr\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:07 |
| L13 | 68 | L12 AND L7 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:07 |
| L14 | 2 | L1 AND L13 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:10 |
| L15 | 86 | L11 AND (L10 near5 (table\$1 near5 entr\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:10 |
| L16 | 66 | L15 AND L7 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:10 |
| L17 | 2 | L1 AND L16 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:10 |
| L18 | 216440 | PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:10 |
| L19 | 51 | L11 AND (L18 near5 (table\$1 near5 entr\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:10 |
| L20 | 1 | L1 AND L19 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:11 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| L21 | 22 | (PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))) ADJ5 (based OR contingent OR correspond\$3 OR depend\$3) ADJ5 (page\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:11 |
| L22 | 3 | L1 AND L21 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:12 |
| L23 | 240496 | (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3 OR compar\$4) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR avoid\$3 OR abstain\$3 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3 OR restrict\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:12 |
| L24 | 25788 | TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:12 |
| L25 | 4200 | (variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:12 |
| L26 | 1097 | L24 AND L25 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:12 |
| L27 | 414 | ((711/212) or (711/221)).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:12 |
| L28 | 7 | L26 AND L23 AND (L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:12 |
| L29 | 0 | L1 AND L28 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:18 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| L30 | 101 | ((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME L23 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:18 |
| L31 | 3 | L1 AND L30 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:27 |
| L32 | 98117 | (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:27 |
| L33 | 75 | ((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME L32 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:27 |
| L34 | 3 | L1 AND L33 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:29 |
| L35 | 3746 | ((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:29 |
| L36 | 222767 | PSI OR ((each OR individual\$2 OR separate) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:29 |
| L37 | 7 | L36 AND (L24 SAME L25) AND (L35 OR L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:29 |
| L38 | 0 | L1 AND L37 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:30 |
| L39 | 12 | L36 AND (L24 AND L25) AND (L35 OR L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:30 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|----|------------------|
| L40 | 0 | L1 AND L39 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:30 |
| L41 | 483773 | PSI OR ((each OR individual\$2 OR separate OR select\$3 OR choos\$3 OR every) near3 ((size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:30 |
| L42 | 60 | L41 AND (L24 SAME L25) AND (L35 OR L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:30 |
| L43 | 3 | L1 AND L42 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:32 |
| L44 | 386858 | (base OR default OR initial OR preferred OR primary OR principal OR fundamental) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:32 |
| L45 | 12 | L44 SAME (L24 SAME L25) AND (L35 OR L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:32 |
| L46 | 0 | L1 AND L45 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:33 |
| L47 | 58 | L44 AND (L24 SAME L25) AND (L35 OR L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:34 |
| L48 | 3 | L1 AND L47 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:34 |
| L49 | 277 | L24 AND (L32 WITH (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:34 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| L50 | 72 | L49 AND (L35 OR L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:34 |
| L51 | 1 | L1 AND L50 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:36 |
| L52 | 1589 | (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:36 |
| L53 | 11 | L52 AND L32 AND (L35 OR L27) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:36 |
| L54 | 0 | L1 AND L53 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:38 |
| L55 | 1046 | (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (EA OR entr\$3 OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:38 |
| L56 | 3746 | ((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:38 |
| L57 | 414 | ((711/212) or (711/221)).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:38 |
| L58 | 98117 | (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:38 |
| L59 | 12 | (L55 SAME L58) AND (L56 OR L57) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:38 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| L60 | 1 | L1 AND L59 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:40 |
| L61 | 950088 | (base OR default\$2 OR initial\$2 OR principal\$2 OR fundamental\$2 OR small\$3) near5 (page\$1 OR siz\$3 OR magnitude\$1 OR dimension\$1 OR length\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:40 |
| L62 | 163 | (L61 near5 L41) AND L24 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:40 |
| L63 | 29925 | ("711").CLAS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:40 |
| L64 | 46 | L62 AND L63 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:40 |
| L65 | 3 | L1 AND L64 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:43 |
| L66 | 54051 | (no OR none OR "not necessary" OR "not require" OR "not required" OR disabl\$3 OR prohibit\$3) near5 (translat\$4 OR decod\$3 OR map\$1 OR mapp\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:43 |
| L67 | 139351 | (identical\$2 OR equal\$2 OR exact OR "same") near5 (bit\$1 OR byte\$1 OR flag\$1 OR flagg\$3 OR tag\$1 OR tagg\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:43 |
| L68 | 22 | (L66 SAME L67) SAME L24 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:43 |
| L69 | 0 | L1 AND L68 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:43 |
| L70 | 995244 | @pd>"20051223" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:44 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| L71 | 8 | L70 AND L47 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:44 |
| L72 | 3 | L1 AND L71 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:44 |
| L73 | 373 | translat\$4 near5 (enabl\$3 OR disabl\$3) near5 (bit\$1 OR byte\$1 OR tag\$1 OR tagg\$3 OR flag\$1 OR flagg\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:45 |
| L74 | 11 | L73 SAME ((TLB\$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR ERAT OR PTE OR (page ADJ table\$1)) near3 entr\$3) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:45 |
| L75 | 0 | L1 AND L74 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:45 |
| L76 | 19 | (L73 SAME entr\$3) AND ((TLB\$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR ERAT OR PTE OR (page ADJ table\$1))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:45 |
| L77 | 0 | L1 AND L76 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:45 |